

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

SECTION 1: IDENTIFICATION OF THE	SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING
1.1 Product identifier	
Product Name	19% Aqua Ammonia
Unique Formula Identifier (UFI)	N/A
	ostance or mixture and uses advised against
Identified Use(s)	Industrial use: Chemical has an application for reducing NO _x from Flue gases i.e. as
	De-NO _x reducing agent.
Uses Advised Against	None known.
1.3 Details of the supplier of the safety	/ data sheet
Company Identification	Qatar Fertiliser Company
Address	P.O. Box 50001
	Mesaieed, Qatar
Telephone	(+974) 44228888
Fax	(+974) 44770347
E-mail	aawad@qafco.com.qa
Only representative of a non-Community	manufacturer
Company Identification	MUNTAJAT B.V.
Address	Prinses Margrietplantsoen 78-A
	2595 BR, La Haye
	Pays Bas
Telephone	+31(0)70 219 7000
E-mail	REACH@muntajatbv.com
Website	www.muntajatbv.com
1.4 Emergency telephone number	
National Poisons Information Service	+44 111
(Birmingham Centre)	
For Spill, Leak, Fire, Exposure or	Within USA and Canada: 1-800-424-9300
Accident, Call CHEMTREC Day or Night	
	accepted)
SECTION 2: HAZARDS IDENTIFICATIO	N

2.1 Classification of the substance or mixture Skin Corr. 1B :Causes severe skin burns and eye damage. Regulation (EC) No. 1272/2008 (CLP) Eye Dam. 1 :Causes serious eye damage. Acute Tox. 4 :Harmful if inhaled. STOT SE 3 : May cause respiratory irritation. Aquatic Acute 1 : Very toxic to aquatic life. Aquatic Chronic 2 : Toxic to aquatic life with long lasting effects.

2.2 Label elements

Product Name Hazard Pictogram(s)

Signal Word(s) Hazard Statement(s)

Precautionary Statement(s)

According to Regulation (EC) No. 1272/2008 (CLP) 19% Aqua Ammonia







H332: Harmful if inhaled. H335: May cause respiratory irritation. H410: Very toxic to aquatic life with long lasting effects. EUH071: Corrosive to the respiratory tract. P260: Do not breathe vapour. P273: Avoid release to the environment. P280: Wear protective gloves/protective clothing/eye protection/face protection. P301+P330+P331+P310: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTRE/doctor. P303+P361+P353+P310: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Immediately call a POISON CENTRE/doctor. P305+P351+P338+P310: IF IN EYES: Rinse cautiously with water for several



Unique Formula Identifier (UFI) 2.3 Other hazards	minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE/doctor. N/A
	None known.

2.4 Additional Information

For full text of H/P Statements see section 16.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable.

3.2 Mixtures

HAZARDOUS INGREDIENT(S)	CAS No.	EC No. / REACH Registration No.	%W/W	Hazard Statement(s)	Hazard Pictogram(s)
Water	7732-18-5	231-791-2	75-85	Not classified	None
Ammonia, anhydrous	7664-41-7	231-635-3 01-2119488876-14-XXXX		Skin Corr. 1B H314 Acute Tox. 4 H332 Aquatic Acute 1 H400 Aquatic Chronic 2 H411	GHS05 GHS07 GHS09

HAZARDOUS INGREDIENT(S)	CAS No.	Specific Concentration	Limit	M-factor	ATE
Ammonia, anhydrous	7664-41-7	STOT SE 3	C>= 5.00 <= 100.00		Acute Tox. 4 (H332): 4500

Contains no non-classified vPvB substances or substances with a Union workplace exposure limit. For full text of H/P Statements see section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures Inhalation	Remove person to fresh air and keep comfortable for breathing. Call a POISON
Skin Contact	CENTRE/doctor if you feel unwell. Take off immediately all contaminated clothing. Rinse skin with water. Immediately call a POISON CENTRE/doctor.
Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE/doctor.
Ingestion	Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTRE/doctor.
4.2 Most important symptoms and effe	
······································	Causes severe skin burns and eye damage. Harmful if swallowed. May cause respiratory irritation.
4.3 Indication of any immediate medica	al attention and special treatment needed Unlikely to be required but if necessary treat symptomatically.
SECTION 5: FIREFIGHTING MEASURES	
5.1 Extinguishing media	
Suitable extinguishing media	As appropriate for surrounding fire. Water spray, dry powder or carbon dioxide. Fight larger fires with water spray or alcohol resistant foam.
Unsuitable extinguishing media 5.2 Special hazards arising from the su	Water jet spray ubstance or mixture
5.3 Advice for firefighters	Decomposes in a fire giving off toxic fumes: Nitrogen oxides, Ammonia
·	Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Dike fire control water for later disposal.
SECTION 6: ACCIDENTAL RELEASE ME	EASURES
C.4. Demonstrations must active a	numerate and emonance and another
6.1 Personal precautions, protective e	Provide adequate ventilation. Do not breathe vapour. Wear appropriate personal protective equipment, avoid direct contact. Wash hands and exposed skin thoroughly after handling. Wash contaminated clothing before reuse.
6.2 Environmental precautions	
	Avoid release to the environment.
6.3 Methods and material for containm	
	Use neutralising agent/Dilute with water. Adsorb spillages onto sand, earth or any suitable adsorbent material. Collect spillage. Transfer to a container for disposal. Flush spill area with copious amounts of water.
6.4 Reference to other sections	



See Also Section 8, 13.

SECTION 7: HANDLING AND STORAG	
7.1 Precautions for safe handling	
	Ensure adequate ventilation. Do not breathe vapour. Avoid contact with skin and eyes. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands and exposed skin thoroughly after handling. Do not eat, drink or smoke at the work place.
7.2 Conditions for safe storage, inclu	ding any incompatibilities
	Keep container tightly closed, in a cool, well ventilated place. Keep only in original container. Store locked up.
Storage temperature	Ambient.
Storage life	Stable under normal conditions.
Incompatible materials	Strong oxidising agents, Reducing agent, Wide variety of metals (Copper, Brass, Aluminium and zinc alloy), Alkalis, Acrolein, Mineral acids, Dimethylsulphate, Mercury, Chlorine, Silver.
7.3 Specific end use(s)	
,	Industrial use: Chemical has an application for reducing NO $_{\rm x}$ from Flue gases i.e. as De-NO $_{\rm x}$ reducing agent.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m ³)	STEL (ppm)	STEL (mg/m ³)	Note
Ammonia, anhydrous	7664-41-7	25	18	35	25	

Region	Source
11.16 1121 1	

United Kingdom UK Workplace Exposure Limits EH40/2005 (Fourth edition, published 2020)

8.2 Exposure controls

8.2.1. Appropriate e	engineering controls	Use with ventilation, local exhaust ventilation or breathing protection. A washing facility/water for eye and skin cleaning purposes should be present.
8.2.2. Personal prot	tection equipment	
	Protection	Wear goggles giving complete eye protection.
Ski	n protection	Wear protective clothing and gloves: Impervious gloves. Type: Butyl rubber, BR Fluorocarbon rubber (Viton). Permeation time: Level \geq 8h. Breakthrough time of the glove material: refer to the information provided by the gloves' producer.
Res	spiratory protection	Wear suitable respiratory protection.
The	ermal hazards	Not applicable.

8.2.3. Environmental Exposure Controls Avoid release to the environment.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical propertiesPhysical stateLiquid.ColourColourless.

Physical state	L
Colour	(
Odour	F
Melting point/freezing point	~
Boiling point or initial boiling point and	5
boiling range	
Flammability	١
Lower and upper explosion limit	F
	F
Flash Point	N

Flash Point Auto-ignition temperature Pungent. ~-30°C 52.3°C Non-flammable. Flammable Limits (Lower) (%v/v) : 15 Flammable Limits (Upper) (%v/v) : 30.2 Not available. 630°C



Decomposition Temperature pH Kinematic Viscosity Solubility Partition coefficient n-octanol/water (log value) Vapour pressure Density and/or relative density Relative vapour density Particle characteristics	Not available. >13 Not available. Solubility (Water) : Completely miscible with water. Solubility (Other) : Not known. Log Pow : 0.23 (Ammonia) 23 hPa @ 20°C Not available. Not available. Not available. Not applicable.
9.2 Other information	F
Odour threshold	~5 ppm
SECTION 10: STABILITY AND REACTIV	/ITY
10.1 Reactivity	
	None anticipated.
10.2 Chemical Stability	Stable under normal conditions.
10.3 Possibility of hazardous reaction	
· · · · · · · · · · · · · · · · · · ·	No hazardous reactions known if used for its intended purpose.
10.4 Conditions to avoid	Line in and Prove in the Parket
10.5 Incompatible materials	Heat and direct sunlight.
	Strong oxidising agents, Reducing agent, Wide variety of metals (Copper, Brass, Aluminium and zinc alloy), Alkalis, Acrolein, Mineral acids, Dimethylsulphate, Mercury, Chlorine, Silver.
10.6 Hazardous decomposition produ	i cts No hazardous decomposition products known.
SECTION 11: TOXICOLOGICAL INFOR	MATION
	s defined in Regulation (EC) No 1272/2008 Calculation method : Not classified. Calculation method : Not classified. Calculation method : Harmful if inhaled. Calculated acute toxicity estimate (ATE): 13140
Skin corrosion/irritation	Ammonia, aqueous: LC50 (4h): 3285 ppm Calculation method : Causes severe skin burns and eye damage. The visible signs of skin pathology appeared only at an ammonia concentration of 20- 30 mg/L and higher, mainly in the form of a burn around the anus and in the region of the actuard capitalia
Serious eye damage/irritation	the external genitalia. Calculation method : Causes serious eye damage. No data. Additional testing for eye irritation/corrosion is not required and is considered to be unjustified both scientifically and on animal welfare grounds.
Skin sensitization data	Calculation method : Not classified. It is not a skin sensitiser.
Respiratory sensitization data Germ cell mutagenicity	Calculation method : Not classified. Calculation method : Not classified.
Carcinogenicity	There is no evidence of mutagenic potential. Calculation method : Not classified. No evidence of carcinogenicity.
Reproductive toxicity	Calculation method : Not classified. No evidence of reproductive effects.
Lactation	Calculation method : Not classified.
STOT - single exposure	Calculation method : May cause respiratory irritation. No data.
STOT - repeated exposure Aspiration hazard 11.2 Information on other hazards	Calculation method : Not classified. Calculation method : Not classified.
	Corrective to the received on the test

Corrosive to the respiratory tract.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity - Aquatic invertebrates Toxicity - Fish

Toxicity - Algae Toxicity - Sediment Compartment Toxicity - Terrestrial Compartment **12.2 Persistence and degradability** Very toxic to aquatic life with long lasting effects. No data. Acute: LC50: 0.083 mg/l Chronic: NOEC: 0.0135 mg/l No data. Not classified. Not classified.



12.3 Bioaccumulative potential	The product is biodegradable. Unlikely to persist.
12.5 Bioaccumulative potential	The product has low potential for bioaccumulation.
12.4 Mobility in soil	Miscible with water. The product is predicted to have high mobility in soil.
12.5 Results of PBT and vPvB assess	nent
12.6 Endocrine disrupting properties	Not classified as PBT or vPvB.
12.7 Other adverse effects	None known.
	Not known.
SECTION 13: DISPOSAL CONSIDERAT	ONS
13.1 Waste treatment methods	
	Dispose of this material and its container as hazardous waste. Dispose of empty
	containers and wastes safely.
13.2 Additional Information	Disposal should be in accordance with local, state or national legislation.
Waste code	06 02 03* ammonium hydroxide
SECTION 14: TRANSPORT INFORMATI	ON
14.1 UN number or ID number	
UN No.	2672
14.2 UN proper shipping name	
UN proper shipping name 14.3 Transport hazard class(es)	AMMONIA SOLUTION
ADR/RID	
ADR/RID Class	8
ADR Classification Code	C5
Special Provisions	543
Limited Quantities Excepted Quantities	5 L E1
Emergency Action Code	2X
Packing Instructions for Packages	P001 IBC03 LP01 R001
Mixed Packing Instructions for Packages	
Instructions for Portable Tanks	Τ7
Special Provisions for Portable Tanks	TP1
Tank Code for Tanks	L4BN
Vehicle for Tank Carriage ADR Transport Category	AT 3
Tunnel Restriction Code	E
Special Provisions for Carriage -	V12
Packages	
ADR HIN	80
IMDG	
IMDG Class	8
Limited Quantities Excepted Quantities	5 L E1
Mixed Packing Instructions for Packages	
Special Packing Provisions for Packages	
Instructions for Portable Tanks	T7
Special Provisions for Portable Tanks	TP1
IMDG EMS Stowage and Handling	F-A, S-B Category A SW2 SW5
Segregation	SGG18 SG35
Marine Pollutant	P
ICAO/IATA	
IATA Proper Shipping Name	AMMONIA SOLUTION
Excepted Quantities	E1
Passenger and Cargo Aircraft Limited Quantities Packing Instructions	Y841
Passenger and Cargo Aircraft Limited	1L
Quantities Max net Qty	
Passenger and Cargo Aircraft Packing	852
Instructions	
Passenger and Cargo Aircraft Max net	5 L
Qty Cargo Aircraft Packing Instructions	856
Cargo Aircraft Max net Qty	60 L
Special Provisions	A64, A803
Emergency Response Guidebook (ERG)	



Code Labels Labels

Packing group

Environmental hazards



14.4 Packing group 14.5 Environmental hazards

Classified as a Marine Pollutant.

14.6 Special precautions for user

Special precautions for user Not known.

Ш

14.7 Maritime transport in bulk according to IMO instruments No information available

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture European Regulations - Authorisations and/or Restrictions On Use	
Candidate List of Substances of Very	Not listed
High Concern for Authorisation	
REACH: ANNEX XIV list of substances	Not listed
subject to authorisation REACH: Annex XVII Restrictions on the	Ammonia, anhydrous (7664-41-7)
manufacture, placing on the market and	
use of certain dangerous substances,	
mixtures and articles	
Community Rolling Action Plan (CoRAP)	Not listed
Regulation (EU) N° 2019/1021 of the European Parliament and of the Council	Not listed
on persistent organic pollutants	
Regulation (EC) N° 1005/2009 on	Not listed
substances that deplete the ozone layer	
Regulation (EU) N° 649/2012 of the	Not listed
European Parliament and of the Council	
concerning the export and import of hazardous chemicals	
National regulations	
Other	Not known.
15.2 Chemical Safety Assessment	
	A REACH chemical safety assessment has not been carried out.
SECTION 16: OTHER INFORMATION	

The following sections contain revisions or new statements:

LEGEND

Hazard Pictogram(s)

Hazard classification



1-16

Skin Corr. 1B : Skin corrosion/irritation, Category 1B Eye Dam. 1 : Serious eye damage/irritation, Category 1 Acute Tox. 4 : Acute toxicity, Category 4 STOT SE 3 : Specific target organ toxicity — single exposure, Category 3 Aquatic Acute 1 : Hazardous to the aquatic environment, Acute, Category 1 Aquatic Chronic 1 : Hazardous to the aquatic environment, Chronic, Category 1



Aquatic Chronic 2 : Hazardous to the aquatic environment, Chronic, Category 2

Hazard Statement(s)	 H314: Causes severe skin burns and eye damage. H318: Causes serious eye damage. H332: Harmful if inhaled. H335: May cause respiratory irritation. H400: Very toxic to aquatic life. H410: Very toxic to aquatic life with long lasting effects. H411: Toxic to aquatic life with long lasting effects. EUH071: Corrosive to the respiratory tract.
Precautionary Statement(s)	 P260: Do not breathe vapour. P261: Avoid breathing vapours. P264: Wash hands and exposed skin thoroughly after handling. P271: Use only outdoors or in a well-ventilated area. P273: Avoid release to the environment. P280: Wear protective gloves/protective clothing/eye protection/face protection. P301+P330+P331+P310: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTRE/doctor. P303+P361+P353+P310: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Immediately call a POISON CENTRE/doctor. P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338+P310: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE/doctor. P312: Call a POISON CENTRE/doctor. P312: Call a POISON CENTRE/doctor if you feel unwell. P321: Specific treatment (see Medical Advice on this label). P363: Wash contaminated clothing before reuse. P31: Collect spillage. P403+P233: Store in a well-ventilated place. Keep container tightly closed. P405: Store locked up. P501: Dispose of contents in accordance with local, state or national legislation.
Acronyms	ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road ATE : Acute Toxicity Estimate CAS : Chemical Abstracts Service CLP : Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures EC : European Community IATA : International Air Transport Association IBC : Intermediate Bulk Container ICAO : International Civil Aviation Organization IMDG : International Maritime Dangerous Goods LTEL : Long term exposure limit PBT : Persistent, Bioaccumulative and Toxic REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals RID : Regulations concerning the International Carriage of Dangerous Goods by Rail STEL : Short term exposure limit STOT : Specific Target Organ Toxicity UN : United Nations vPvB : very Persistent and very Bioaccumulative
Key literature references and sources for data used to compile the SDS Training Advice	Regulation (EC) No. 1272/2008 (CLP) Regular safety training as appropriate
Disclaimers	Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Qatar Fertiliser Company gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Qatar Fertiliser Company accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.